

JOHNSON COUNTY
KANSAS
Health & Environment

ENVIRONMENTAL DIVISION

2021 Application for an Industrial/Commercial Sewage Treatment Resale Inspection

Fee: \$250.00

RS 21-_____
SUP 21-_____

Applicant is : Buyer Seller

SITE ADDRESS: _____
 Street City Zip

Applicant's Name: _____ Phone number: _____

Agent's Name: _____ Phone number: _____

Applicant's Address (include city, state, zip): _____

Owners name: _____

Owners address: _____

Last time the tank was pumped: _____ By whom: _____

Has system ever been repaired: _____ If so, when: _____ Who did repair: _____

Describe repair: _____

Notify Inspection Results Via One of the Following: **Email** **Mail**

Email results to (name): _____ Email Address: _____

Email results to (name): _____ Email Address: _____

Email results to (name): _____ Email Address: _____

Email results to (name): _____ Email Address: _____

Address (include city, state, zip): _____

Pumping of Tank: To be inspected, all compartments of the tank(s) must be made accessible for pumping and inspection. The tank(s) must be pumped by a licensed Johnson County Sanitary Disposal Contractor and be scheduled for the same time as the inspection. A minimal 20 inch diameter opening must be available for the inspection.

Primary source of drinking water for the property: Public Private
If the residence uses a private water supply, water can be tested by Johnson County Wastewater (913-715-6951).

Method of Payment: Check: Cash: Money Order: Credit Card:

Please make your check payable to: **JCDHE** and return to Johnson County Environmental Division, 11811 South Sunset Drive, Suite 2700, Olathe, Kansas 66061. **For credit card payment over the phone please fax completed application to (913) 715-6970 or email to Richelle.Rames@jocogov.org . Then call (913) 715-6915 to make the credit card payment. We do not accept American Express.** If you require a TDD number please call 800-766-3777.

Signature

Date

Office Use Only: System GPS Location

Septic Tank	Pump Tank	Absorption Field
N	N	N
W	W	W