

<b>IFB No. 2016-002 for 2018 Vehicles Group I</b>		<b>Dealer Name: OLATHE FORD</b>	<b>Date: 10/8/2018</b>
---	--	---------------------------------	------------------------

**Minimum Specifications for ALL Heavy Duty Trucks are as Follows:** Driver Air bag, Arm Rests - All Doors, Factory Air Conditioning, Factory Auxiliary 12 Volt Outlet, Factory Power Steering, Heavy Duty Increased Cooling System, 12 Volt Electrical System, Rubber Floor Covering, Gauges – Oil, Amp, Temperature, Fuel minimum, Tinted Windows – All, Full Length factory headliner, Electric Horns, Day/Night Inside Mirror, AM/FM Factory Radio, Spare Tire and Wheel - Same Size as Vehicle Tires, Power Steering, Dual Sun Visors, Intermittent Wipers.

Item No. 1	Type: FULL-SIZE VAN CUTAWAY CAB & CHASSIS	MFG'S CODE & DESCRIPTION	Current Model Year
FEATURE	DESCRIPTION		Mark Yes or No
<b>Make Equal To</b>	<b>E-Series, G-Series, Freightliner, Mercedes, Ram Promaste</b>	<b>ECONOLINE E3F CUTAWAY</b>	
Alternator	95 amp. min. State amp.	E350	YES
Axle-Front		5000	YES
Axle-Rear		8500	YES
Battery	Maint. free, 600 CCA min., state	650	YES
Body Style	Cut away style cab and chassis	E3F	YES
Brakes	ABS	STD	YES
Bumpers	Front & rear	FRONT	NO
Drive Line	State front wheel drive, rear wheel drive, all wheel drive	RWD	YES
Engine	Min 8 cyl., gasoline, state liter, horsepower	6.8 V10	NO
Fuel Tank		40	YES
GVWR		11500	YES
Heater	Integral front & aux. rear, high capacity	57X	YES
Lights	Courtesy light switches - all doors	STD	YES
Mirrors-Outside	Dual low mount, factory installed, 5" x 8" min	54D	YES
<b>Paint</b>	<b>Provide Website</b>	<b>FLEET.FORD.COM</b>	<b>YES</b>
Payload		6965	YES
Seating	Vinyl, standard for vehicle	EA	YES
Steering Wheel	Tilt & cruise- factory installed	525	YES
Tires	State	195/75R16	YES
Transmission	Automatic, min 4 speed	44T	YES
<b>Warranty</b>	<b>Attach all manufacturer standard</b>		<b>YES</b>
Wheelbase	State	138	YES
Wheels	Dual rear to meet GVWR	T68	YES

**BID PRICING TOTAL FULL-SIZE VAN CUTAWAY CAB & CHASSIS - Item No. 1** \$24,837  
 You must enter pricing in the online bid page

**Alternative Fuel Options:**

Alternative Fuel Package: State Fuel Option and Base Price each Net \_\_\_\_\_

Alternative Fuel Option: **Circle Applicable** - (CNG, LPG, P/H/EV, E85, B20) \_\_\_\_\_

Alternative Fuel Operation: **Circle Applicable** - (State Dedicated, Bi-Fuel or Flex Fuel) \_\_\_\_\_

Gas Gallon Equivalent (State how much fuel on board) \_\_\_\_\_

GGE Gas Gallon Equivalent - Option 1 State Tank Size \_\_\_\_\_ \$ \_\_\_\_\_

GGE-Gas Gallon Equivalent - Option 2 State Tank Size \_\_\_\_\_ \$ \_\_\_\_\_

State manufacturer and model of conversion system \_\_\_\_\_

State Current or Pending EPA or CARB Certification No. \_\_\_\_\_

If no cert no, please explain. \_\_\_\_\_

OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no) \_\_\_\_\_

Drop ship code (if applicable) \_\_\_\_\_

<b>OPTIONAL EQUIPMENT</b>		
Air Bag	Passenger	STD \$
Alternator	63M 155 AMP / 63N 255 AMP	75 - 260
Ambulance Prep	State	47A 1900
Back-up Alarm		DI 150
Brakes		\$
Bumper	Bright with guards, protective rubber strips front & rear	\$
Business Rack		\$
CAMERA	BACK UP CAMERA	\$440
Daytime Running Lights		942 45
Defroster	Rear window	\$
Diagnostic Software & Cabling		
Engine	6.2L V8	-100
Transmission		\$
ABS Brakes		\$
Electrical System		\$
Body Module		\$
Door Locks	Side & rear cargo doors keyed alike	903 465
	Power, all doors, factory installed	903 54E 695
Door Options		\$
		\$

Item No. 1	Type: FULL-SIZE VAN CUTAWAY CAB & CHASSIS (continued)	BIDDER MUST COMPLETE	Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE
			\$
			\$
Extended Cargo Capacity	Van box extension; state size:	158"	\$250
<b>Extended Warranty</b>	<b>Provide Website</b>	<b>EMAIL FOR QUOTE</b>	\$
	TRANSIT CUTAWAY OPTION		(\$500)
	IN STOCK PURCHASE SUBJECT TO AVAILABILITY		2995
Fuel Tanks			\$
			\$
Glass	Privacy or equal		\$

Heater	Engine block immersion	41H	\$75
Key Options	Extra key price	DI WI REMOTE	\$225
			\$
Manuals	Service manuals	HELM	225
Outfitter Switches	Includes wiring harness	52S	\$85
Paint	<b>Provide Website</b>	<a href="http://WWW.FLEET.FORD.COM">WWW.FLEET.FORD.COM</a>	\$
			\$
Running Boards	Dual, polished bright treadplate		\$
	2" Drop		\$
	4" Drop		\$
Rust Proofing	Bidder must state brand & warranty, certificate required		\$
Seats	Cloth	CK 21L	\$
Spare Tire	Mounted on rear door - outside - factory installed		\$
Temporary Tag			\$
Wheels	Single rear wheels	E3F	\$N/C
Windows		E4F 138/ 158	\$1950 / \$2495
			\$
<b>Options Not Listed - Discount from MSRP- State Other Website For Pricing</b>			<b>5%</b>
	<b>OPTION DELETE FROM STANDARD</b>		
	Air Conditioning front		\$
	Molding, door edge		\$
	Molding, side trim		\$
	Steering wheel, cruise- factory installed		\$

Item No. 2	Type: 1-TON CAB & CHASSIS	BIDDER MUST COMPLETE		Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	MEETS SPEC	Mark Yes or No
			Yes	No
State make & model	C3500, F350, Ram 3500	F350 SRW		
Alternator	State amps	157	YES	
Axle-Front	Front: to meet GVW, state	5250	YES	
Axle-Rear	Rear: to meet GVW, state	7280	YES	
Battery	Maint. free, 600 CCA min., state	650	YES	
Brakes	ABS	STD	YES	
Cab "A"	Cab "A"	F3E 4X2 SRW	YES	
Cab to Axle		60	YES	
Differential		3.73	YES	
Drive Line 4X2	Two (2) wheel drive	F3E 4X2 SRW	YES	
Engine	Min 8 cyl., gasoline, EFI, state liter	6.2L V-8 996	YES	
Floor Covering	Heavy duty vinyl/rubber	STD	YES	
Fuel Tank		26.5	YES	
GVWR		9800	YES	
Heater/Defroster	Fresh air with multi-speed fan	STD	YES	
Mirrors-Outside	Dual, below eyeline, collapsable, 40 sq inch min	STD	YES	
Paint	Mfg. standard - provide Website	<a href="http://WWW.FLEET.FORD.COM">WWW.FLEET.FORD.COM</a>	YES	
Payload		4370	YES	
Seat	Full depth foam, vinyl, bench	40/20/40 AS VINYL	YES	
Shocks	Heavy duty	STD	YES	
Steering Wheel	Tilt	STD	YES	
Suspension	Heavy duty	STD	YES	
Tires	All season radial	LT275/65X18E SRW	YES	
Transmission	Automatic, 4 speed	6 SPD 44P	YES	
Warranty	Provide Website	<a href="http://WWW.FLEET.FORD.COM">WWW.FLEET.FORD.COM</a>	YES	
Wheelbase		145" WB	YES	
Wheels	8-hole disc	17"	YES	
Wipers	Intermittent	STD	YES	

**BID PRICING TOTAL STANDARD VEHICLE, 1-TON CAB & CHASSIS - Item NO. 2 \$23,921**

You must enter pricing in the online bid page

See End of Group 1 for Aftermarket pricing through Olathe Ford

**Alternative Fuel Options:**

Alternative Fuel Package: State Fuel Option and Base Price each Net		
Alternative Fuel Option: <b>Circle Applicable</b> - (CNG, LPG, P/H/EV, E85, B20)		
Alternative Fuel Operation: <b>Circle Applicable</b> - (State Dedicated, Bi-Fuel or Flex Fuel)		
Gas Gallon Equivalent (State how much fuel on board)		
GGE Gas Gallon Equivalent - Option 1 State Tank Size	2) 18X60 17 GGE	#####
GGE-Gas Gallon Equivalent - Option 2 State Tank Size	2 21X60 23 GGE	\$10,850
State manufacturer and model of conversion system		
State Current or Pending EPA or CARB Certification No.		
If no cert no, please explain.		
OEM Supported (offeror has OVM or SVM status or equivalent: state yes or no)		
Drop ship code (if applicable)		

Air Bag	Side	STD	\$
Air Bag	Roof rail	STD	\$
Alarm	Back up	76C	\$140
Alarm System		INCL 90L	\$

Item No. 2	Type: 1-TON CAB & CHASSIS (Continued)	BIDDER MUST COMPLETE	Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE
	OPTIONAL EQUIPMENT		
			\$
			\$
	AMOUNT OF TAX CREDIT PROVIDED		\$
ALTERNATOR	HD / EXTRA HD 67E 240 AMP / 67B 357 AMP DIE ONLY	MAY REQUIRE ADD'L OPTIONS	85-115
Ambulance Prep	State	47A	\$1,205

Item No. 2	Type: 1-TON CAB & CHASSIS (Continued)	BIDDER MUST COMPLETE	Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE
	OPTIONAL EQUIPMENT		
BATTERIES	DUAL	86M	210
110 V /400W OUTLET	43C	43C	\$175
Brush Guard	Front		\$
Bumper	Rear step, painted		\$
Cab Options	Cab "B"	X3E	\$2,994
	Cab "C"	W3E	\$4,780
Cab Step	Driver side, factory	18B RC / SC CC	\$320 - 445
	NERF STYLE	RC / SC/ CC	\$495/550/650
Controller	Fast idle		\$
Convenience		96V	\$950
Cruise Control	Factory installed	525	\$235
Daytime Running Lights		942	\$45
Diagnostic Software & Cabling			\$

Engine			\$
Transmission			\$
ABS Brakes			\$
Electrical System			\$
Body Module			\$
Drive Line	4 X 4	F3F/X3F/W3F	\$4210/6392/7150
Dual Rear Wheels		F3H/X3H/W3H	\$5423/7422/8408
	DUAL REAR WHEEL 4X2	F3G/X3G/W3G	1942/4378/5336
Engines	List cylinders, HP, liter, fuel type, horsepower		
		6.7 DIESEL 99T 44W	\$8,756
		BLK HEATER	\$75
		REGIN 98R	\$250
<b>Extended Warranty</b>	<b>Provide Website</b>		\$
Fender Guides	Phillips Fender Guides or equal	DI	275
Floor Covering	Heavy duty carpeting		\$
Floor Mats	Rubber/ vinyl		155
Fuel Tank			\$
Gear Ratios	Limited slip	GAS	\$390
		DIESEL	\$390
			\$
Hitch	Pintle		\$
Hourmeter	Standard engine-activated		\$
Key Options	Extra key price	DI	295
		IN STOCK PURCHASE/ LOCATE - SUBJECT TO AVAILABILITY	\$2,995 /3995
Lighting Packages			\$
			\$
Manuals	Service manuals	HELM	225
Mirrors	Heated	90L RC / SC CC	\$915 / 1125
	6" X 16" Western, one piece		\$
	7" X 10" Western, one piece		\$
Outfitter Switches			\$
	Includes extra wiring harness		\$
PAYLOAD DOWNGRADE	TD8		170
Paint	Provide Website FLAT BLACK HOOD PAIN		850
Power Locks/Windows	Factory installed		\$
Power Take Off		62R	\$280
	Driver side		\$
	Both sides		\$
REAR CAMERA PREP		872	872 415
REMOTE START		76S	250
Seats	Cloth interior	RC / SC CC	100/300
	Bucket front		\$
			\$
Skid Plate	Factory installed	41P	\$100
Snow Plow Package			473 185
SYNC	SYNC 3		\$450
Temporary Tag		INCL	\$
Throttle	Hand control, locking		\$
Tires			\$165-455
Tow Command	Factory installed	52B	\$270
Tow Hooks	2 each		\$
Trailer Tow Package			531 \$45
			\$
			\$
UPFIT MODULE		18A	295
Wheelbase Options		84CA	\$175
Window (Rear)	Sliding		\$
Wiring	Body builder harness		\$
XL DÉCOR		17F	220
	<b>OPTION DELETE FROM STANDARD</b>		
	Air Conditioning		\$
	Cruise		\$
	OnStar		\$
	Radio		\$
	Spare Tire		\$
	Spare Wheel		\$
	Tilt		\$

See End of Group 1 for Aftermarket pricing through Olathe Ford



FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & Description	PRICE
	<u>OPTIONAL EQUIPMENT</u>		
Transmission			\$
Anti-Lock Brake/Air			\$
Anti-Lock Brake/Hydraulic			\$
Chassis Electrical System			\$
Cables			\$
Driveline	Four Wheel Drive / 4X4	F4H/X4H/W4H	\$3860/6396/7350
Engines	List Diesel / CYL/ Liter/ HP for each alternate		
		6.7I DIESEL 99T 44W	\$8,756
			\$
	<u>INSTOCK PURCHASE OPTION / LOCATE</u>	<u>SUBJECT TO AVAILABILITY</u>	<u>2995/3995</u>
Floor Covering	Heavy duty carpeting		\$
Floor Mats	Rubber/Vinyl		150
Fuel Tank Alternates			\$
			\$
Engine Block Heater		41H	\$75
Extended Warranty	Provide Website	EMAIL FOR QUOTE	\$
Hitch	Pintle		\$
Hoses	Silicone radiator & heater w/worm drive gear clamps		\$
Hourmeter	Standard engine-activated		\$
	Sweep mirrors		\$
Outfitter Switches	State	INCL	\$
Paint	Other than mfg. standard fleet paint		\$
Key Options	Cost for extra key	DI	295
Manuals	Service Manuals		225
Mirrors	Phillips fender guides or equal		\$
	5" X 8" mfg. Standard outside dual mirrors		\$
Outfitter Switches			\$
	Includes extra wiring harness		\$
Paint	Flat black on hood		\$
REMOTE START	REMOTE START	76S	\$250
REAR CAMERA PREP			
Seats		872	415
	Air suspension, individual bucket, vinyl, high back	40/20/40 1S RC SC CC	100/300
	2-man passenger		\$
	Cloth interior		\$
	Passenger side bucket		\$
			\$
Snow Plow Package			\$
Snow Valve			473 185
Stabilizer Bar	1-1/4" front		\$
Steering Wheel	Tilt		\$
	Cruise	525	235
SYNC	SYNC 3	915	\$450
Throttle	Hand control, Locking		\$
Tires-On/Off Road; Sizes:	THB / TGB	THB/ TGB	\$165-455
			\$
Tow Command		52B	\$270
Tow Hooks	2 each		\$
Trailer Tow Package		531	\$45
Transmission	<u>HIGH CAPACITY TOW MAY REQUIRE OTHER OPTIONS</u>	535	\$580
			\$
			\$
XL DÉCOR	17F	17F	\$220

See End of Group 1 for Aftermarket pricing through Olathe Ford

Options Not Listed - Discount from MSRP- State Other Website For Pricing                      5%

**OPTION DELETE FROM STANDARD**

Air Conditioning		\$
Power Take Off		\$
Radio		\$
Spare Tire		\$
Spare Wheel		\$
Swing out recreational mirrors		\$

Item No. 4		Type: 17,500 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC Mark Yes or No Yes No	
<b>Cab &amp; Chassis</b>	<b>State make &amp; model</b>	F550		
Axle-Front	Front: to meet GVW	7000		
Axle-Rear	Rear: to meet GVW	13660		
Battery	Heavy duty, maint. free, dual 600 CCA min.	650		
Brakes	Power/backing plate	STD		
Cab	Cab "A"	F5G		
Cab to Axle	60" minimum	60" CA		
Differential	Standard gear ratios selected at time of order	4.88		
Driveline	Two Wheel Drive 4X2	F5G		
Engine	Minimum 300 horsepower, gasoline, state size	99Y 6.8L V-10 288 HP		
Fuel Tank	State size & location	40 GAL AFT		
GVWR	15,000 LBS. min., state	18000		
Headliner	Factory installed	STD		
Heater/Defroster	Fresh air with multi-speed fan	STD		
Paint	Mfg. standard - provide Website	<a href="http://WWW.FLEET.FORD.COM">WWW.FLEET.FORD.COM</a>		
Payload		11430		
Power Take Off	Opening one side	62R		
Seats	Full depth foam, vinyl	40/20/40 VINYL AS		
Shocks	Heavy duty	STD		
Suspension-Front	4,800 LB front, heavy duty	4800		
Suspension-Rear	11,000 LB rear, heavy duty	13660		
Tires	Steel belted radial, all season, standard for vehicle, 6 ea	225/70RX19.5G		
Transmission	Automatic, minimum 4 speed with overdrive	44P 6 SPD AUTO		
Warranty	Provide Website	<a href="http://WWW.FLEET.FORD.COM">WWW.FLEET.FORD.COM</a>		
Wheelbase		145" WB		
Wheels	Standard for model bid/6 each/dual rear	19.5		

Item No. 4 - TOTAL STANDARD VEHICLE, 17,500 GVWR

**\$30,919**

You must enter pricing in the online bid page

**Alternative Fuel Options:**

Alternative Fuel Package: State Fuel Option and Base Price each Net		
Alternative Fuel Option: <b>Circle Applicable</b> - (CNG, LPG, P/H/EV, E85, B20)		
Alternative Fuel Operation: <b>Circle Applicable</b> - (State Dedicated, Bi-Fuel or Flex Fuel)		
Gas Gallon Equivalent (State how much fuel on board)		
GGE Gas Gallon Equivalent - Option 1 State Tank Size	<b>2 (18X60) 34</b>	<b>18,950</b>
GGE-Gas Gallon Equivalent - Option 2 State Tank Size	<b>2(21X60) 46</b>	<b>21,650</b>
State manufacturer and model of conversion system		
State Current or Pending EPA or CARB Certification No.		
If no cert no, please explain.		
OEM Supported (offeror has QVM or SVM status or equivalent: state yes or no)		
Drop ship code (if applicable)		

**See End of Group 1 for Aftermarket pricing through Olathe Ford**

**OPTIONAL EQUIPMENT**

Air Bag	Driver	STD	\$
	Passenger	STD	\$
Alarm	Back up	76C	\$140
Ambulance Prep	State	47A DIESEL ONLY	\$1,205
ALTERNATOR	67E 240 AMP 67B 357 AMP DIESEL ONLY MAY REQ ADD O	67E / 67B	\$85-115
BATTERIES	86M		\$210
Brush Guard	Front		\$
Cab to Axle		84" CA RC 169" SC 192" CC 203"	\$175
		108" CA RC 193"	\$350
		120" CA RC 205"	\$525
			\$
			\$
			\$
Cab Steps	Driver only, factory	18B RC / SC CC	\$320 - 445
	NERF STYLE	RC / SC/ CC	\$495/550/650
Console	Overhead storage area with safety net		\$
Controller	Fast Idle Control (As Req'd on Diesel Auto.)		\$
Cabs	Cab "B"	X5G 60" CA	\$3,236
	Cab "C"	W5G 60" CA	\$4,289
			\$

Item No. 4		Type: 17,500 GVWR CAB & CHASSIS (Continued)	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE	
Daytime Running Lights		942	45	
<b>Diagnostic Software &amp; Cables</b>				
	Engine		\$	
			\$	
			\$	
			\$	
	Anti-Lock Brake/Air		\$	
			\$	
	Anti-Lock Brake/Hydraulic		\$	
			\$	
	Chassis Electrical System		\$	
			\$	
	Cables		\$	
			\$	
Driveline	Four Wheel Drive / 4X4	F5H/X5H/W5H	\$3875/6407/7360	

Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate:		
		6.7L DIESEL 99T 44W	\$8,756
			\$
	INSTOCK PURCHASE OPTION / LOCATE	SUBJECT TO AVAILABILITY	2995/3995
			\$
			\$
Exhaust	Vertical with turned out elbow		\$
Extended Warranty			\$
			\$
Floor Covering	Heavy duty carpeting		\$
Floor Mats	Rubber/Vinyl		150
Fuel Tank		DUAL TANKS 65C 585	\$625
			\$
GEAR RATIOS		GEAR RATIOS	\$360
			\$
Engine Block Heater		41H	\$75
Hitch	Pintle		\$
Hoses	Silicone radiator & heater w/worm drive gear clamps		\$
Hourmeter	Standard engine-activated		\$
Key Options	Cost for extra key	DI	295
			\$
Manuals	Service Manuals		225
Mirrors	Phillips fender guides or equal	DI	275
	POWER MIRRORS	90L RC SC / CC	\$915 - 1125
	Sweep mirrors		\$
Outfitter Switches			\$
	Includes extra wiring harness		\$
Paint	Flat black on hood		850



Item No. 4		Type: 17,500 GVWR CAB & CHASSIS (Continued)		Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		PRICE
		MFG'S CODE & DESCRIPTION		
		OPTIONAL EQUIPMENT		
PAYLOAD UPGRADE	19500 GVWR	68M X8L 19,500 GVWR		\$1,515
		68U X8L 19,500 GVWR		1175
REMOTE START	76S	76S		\$250
Running Boards	Driver only, factory	18B RC / SC CC		\$320 - 445
	NERF STYLE	RC / SC/ CC		\$495/550/650
Rust Proofing	State brand; include warranty & certificate	N/A		\$
Seats	Air suspension, individual bucket, vinyl, high back			\$
	2-Man passenger			\$
	Cloth Interior	40/20/40 1S RC SC CC		100/300
	Passenger side bucket			\$
				\$
Snow Plow Package		473	473	185
Snow Valve				\$
SYNC	SYNC 3		913	\$450
Steering Wheel	Tilt			\$
	Cruise		525	235
Temporary Tag	State			\$
Throttle	Hand control, Locking			\$
Tires-On/Off Road-Sizes:	THB/ TGB			190-215
				\$
				\$
Tow Command		52B		\$270
Tow Hooks	2 each			\$
Trailer Tow Package	HEAVY DUTY TOW PACKAGE 535 / X4L	535 / X4L		\$940

Item No. 4		Type: 17,500 GVWR CAB & CHASSIS (Continued)		Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		PRICE
		MFG'S CODE & DESCRIPTION		
		OPTIONAL EQUIPMENT		
Transmission				\$
				\$
XL DÉCOR	17F CHROME BUMPER	17F		\$220
UPFITTER INTERFACE MOI		18A		\$295

**Group 1 Aftermarket pricing through Olathe Ford**

**Options Not Listed - Discount from MSRP- State Other Website For Pricing 5%**

**OPTION DELETE FROM STANDARD**

Air Conditioning		\$
Power Take Off		\$
Radio		\$
Spare Tire		\$
Spare Wheel		\$
Swing out recreational mirrors		\$

Item No. 5		Type: 21,000 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE &/OR DESCRIPTION	MEETS SPEC	
			Mark Yes or No Yes	No
<b>Cab &amp; Chassis</b>	<b>State make &amp; model</b>	Ford F650		
Air Cleaner	Required with dash-mounted restriction gauge	std		
Alternator-State Amps		std	YES	
Auxiliary Springs	4,500 LBS min total	200	YES	
Axle-Front	Front 8,000 LBS min	std	YES	
Axle-Rear	Rear 13,000 LBS min	std	YES	
Batteries	Heavy duty, maint. free, dual 1300 CCA min.	1500	YES	
Brakes	Parking: hand braker	std	YES	
Brakes	Service: 4-wheel hydraulic disc	std	YES	
Brakes	ABS	std	YES	
Bumper	Front, steel full-width	std	YES	
Cab	Cab "A"	std	YES	
Cab Height (inside)	54" minimum	std	YES	
Cab to Axle	84" minimum	std	YES	
Circuit Breakers	In lieu of standard fuses	FUSES		NO
Differential	Standard gear ratios selected at time of order	std	YES	
Electrical System	12 volt, body builders connection box/plug	std	YES	
Engine	Minimum 175 HP, diesel, state size & torque	270 HP 675 LB FT TORQUE	YES	
Engine Block Heater		41H	YES	
Exhaust	Horizontal	SWITCHBACK	YES	
Frame	RBM 917,000 / PSI 80,000 / Section Modulus 11.47	EXCEPTION 860,000	YES	
Fuel Tank	Step type, state size & location	50 GAL UNDER PSGR STEP	YES	
Fuel Water Separator		std	YES	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp	16V	YES	
Governor	Adjustable max., cruising RPM	std	YES	
Grab Handles	One (1) each side	std	YES	
GVWR	21,000 LBS. min.	22000	YES	
Heater/Defroster	Heavy Duty, fresh air with multi-speed fan	std	YES	
Hood & Fenders	Fiberglass, tilting	std	YES	
Hourmeter	Standard engine-activated	std	YES	
Lights	Cab clearance, five (5)	std	YES	
Line Set	Two (2) copies required with each truck	std	YES	
Mirrors-Outside	West coast left & right, painted, heated	POWER HEATED BUT NOT WEST CO	YES	NO
Mirrors-Outside	16" X 7" w/6" convey mirrors	INCL CONVEX	YES	NO
Paint	Mfg. standard - provide Website	std	YES	
Payload		12292	YES	
Rims	8.25" X 22.5 min., 10 hole wheel hub pilot	std	YES	
Seat Belts	3-point--required	std	YES	
Seats	Full bench, all vinyl	std	YES	
Shocks	Heavy duty front	std	YES	
Shoulder Room	65.3" Minimum (Window to Window)	std	YES	
Springs	8,000 LBS, Front / 13,500 LBS Rear	std	YES	
		std		No
Tachometer	Rated to engine	std	YES	
Tires-Front, Sized for Truck	2 each-steel belted radial tubeless, conventional tread	245/70R 19.5 AH6	YES	
Tires-Rear, Sized for Truck	4 each-steel belted radial tubeless, mud & snow	245/70R 19.5 DH07	YES	
Transmission	Automatic, minimum 5 speed with temp gauge	std	YES	
Warning Lights & Buzzers	For low oil pressure & high coolant temperature	std	YES	
Warranty	Attach all manufacturer standard	std	YES	
Wheelbase-state minimum:		158	YES	
Wheels	6 each, 8 or 10 stud	std	YES	
Wipers	Intermittent	std	YES	
<b>Item No. 5 - TOTAL STANDARD VEHICLE, 21,000 GVWR</b>			<b>\$53,996</b>	

See End of Group 1 for Aftermarket pricing through Olathe Ford

You must enter pricing in the online bid page

Item No. 5	Type: 21,000 GVWR CAB & CHASSIS (continued)	BIDDER MUST COMPLETE	Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE
<b>Alternative Fuel Options:</b>			
Alternative Fuel Package: State Fuel Option and Base Price each Net			
Alternative Fuel Option: <b>Circle Applicable</b> - (CNG, LPG, P/H/EV, E85, B20)			
Alternative Fuel Operation: <b>Circle Applicable</b> - (State Dedicated, Bi-Fuel or Flex Fuel)			
Gas Gallon Equivalent (State how much fuel on board)			
GGE Gas Gallon Equivalent - Option 1 State Tank Size		<b>2 (18X60) 34</b>	<b>18,950</b>
GGE-Gas Gallon Equivalent - Option 2 State Tank Size		<b>2(21X60) 46</b>	<b>21,650</b>
State manufacturer and model of conversion system			
State Current or Pending EPA or CARB Certification No.			
If no cert no, please explain.			
OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no)			
Drop ship code (if applicable)			
Cab	Cab "B"	X6E	\$1,970
	Cab "C"	W6E	\$4,665
			\$
Cab Steps	Driver only, factory	STD	\$
			0
Cab to Axle	72" THRU 168		\$125-805
Include all costs for any modifications			\$
			\$
			\$
Console	Overhead storage area with safety net	962	45
Daytime Running Lights			\$
<b>Diagnostic Software &amp; Cables</b>			
	Engine		\$
	Transmission		\$
	Anti-Lock Brake/Air		\$
	Anti-Lock Brake/Hydraulic		\$
	Chassis Electrical System		\$
	Cables		\$
Diesel Exhaust Fluid (DEF)	State size & location		\$
Drive	4 X 4	TULSA TRUCK	31,500
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		
		GAS	-3000
		DIESEL 300/330	1995 / 3495
		IN STOCK PURCHASE	4950
			\$
			\$
Exhaust	Vertical with turned out elbow	AM TURN OUT	750
Extended Warranty	Provide Website	EMAIL FOR QUOTE	\$
			\$
			\$
Floor Mats	Rubber/vinyl		150
Fuel Tank	55 GAL / 65/ 115	55 GAL / 65 / 115	\$305 425 / 915
Hand Throttle	Locking type		\$
Hoses	Silicone radiator & heater w/worm drive gear clamps		\$
Hub	Oil lubricated front wheel hub		\$
Key Options	Cost for extra key		\$
			\$
Manuals	Service manuals		225
Mirrors	Phillips fender guides or equal		310
	Sweep mirrors		\$
Outfitter Switches	STD ON DIESEL OPTIONAL ON GAS	59F	\$125
	Includes extra wiring harness		\$
Parking Brake Alarm			\$
Paint Options	Include sample literature		\$
Pre-Trip Light Inspection			\$
PTO	Operable with transmission in gear		\$
	Transmission mount	OPENING ONLY	895
	Front mount		\$
Remote Power Module			\$
Rust Proofing	State brand; include warranty & certificate	N/A	\$
Seats	Air suspension, individual bucket, vinyl, high back		125 - 980
	Passenger side bucket		\$

Item No. 5	Type: 21,000 GVWR CAB & CHASSIS (continued)	BIDDER MUST COMPLETE	Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE
	<u>OPTIONAL EQUIPMENT</u>		
Snow Plow Package			\$
Snow Valve			\$
Stationary Grill	With tilt hood		\$
Steering Wheel	Tilt		\$
	Cruise		\$
Temporary Tag			\$
Theft Deterrent System			\$
Tires-state alternate sizes			\$
			\$
			\$
Tow Command			\$
Tow Hooks	2 each		\$
Trailer Tow Package			\$
Transmission			\$
			\$
			\$
Wiring	Body builder harness		\$
<b>See End of Group 1 for Aftermarket pricing through Olathe Ford</b>			
<b>Options Not Listed - Discount from MSRP- State Other Website For Pricing</b>			<b>5%</b>
<b>OPTION DELETE FROM STANDARD</b>			
	Air Conditioning		\$
	Dash mounted air restriction gauge		\$
	Engine block heater		\$
	Fuel/water separator		\$
	Radio, AM/FM		\$
	Spare Tire		\$
	Spare Wheel		\$
	Tow hooks		\$

Item No. 6		Type: 29,000 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No Yes	No
<b>Cab &amp; Chassis</b>	<b>State make &amp; model</b>	F650	YES	
Air Brake Dryer	Wabco spin-on, heated, or equal; state brand	STD	YES	
Air Cleaner	Required, with dash-mounted restriction gauge	STD	YES	
Alternator-state minimum		200	YES	
Auxiliary Springs	2,250 LB each, min.	STD	YES	
Axle-Front	10,000 LB min.	STD	YES	
Axle-Rear	19,000 LB min.	STD	YES	
Battery	Maint. free, 1600 CCA min., state	STD	YES	
Brakes	Parking: spring brake	STD	YES	
Brakes	Service: air	STD	YES	
Brakes	Backing plate	STD	YES	
Bumper	Extra heavy duty front, swept back with extension	STD	YES	
Cab	Cab "A"	STD	YES	
Cab Height (Inside)	54" Minimum	STD	YES	
Cab to Axle	84" min.	STD	YES	
Circuit Breakers	In lieu of standard fuses	FUSES	YES	NO
Compressor	13.2 CFM	STD	YES	
Cooling System	Increased to accommodate front mount PTO	NO FRONT ENGINE PTO	YES	NO
Differential	Standard gear ratios selected at time of order	STD	YES	
Drainage	Automatic moisture ejectors	STD	YES	
Electrical Systems	12 volt, body builders connection box/plug	STD	YES	
Engine	Diesel, minimum 210 HP, state size & torque	270	YES	
Engine Block Heater		STD	YES	
Exhaust	Horizontal	REQUIRES SWITCHBACK	YES	
Frame	RBM 1,700,000	1,701,800	YES	
	Modulus:	536	YES	
	PSI:	STD	YES	
Fuel Tank	Step type, state size & location	DRIVER SIDE UNDER DOOR	YES	
Fuel Water Sep.	Required with in-line, heater	STD	YES	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp	STD	YES	
Governor	Adjustable max. cruising RPM	STD	YES	
Grab Handles-Outside	One (1) each side of truck	STD	YES	
GVWR	29,000 LB min.	29,000	YES	
Heater/Defroster		STD	YES	
Hood & Fenders	Fiberglass, tilting	STD	YES	
Hourmeter	Standard engine-activated	STD	YES	
Lights	Cab clearance, five (5)	STD	YES	
Line Set	Two (2) copies required with each truck	STD	YES	
Mirrors-Outside	West coast left & right, painted, heated	NO WEST COAST /POWERED	YES	
Mirrors-Outside	16" X 7" w/6" convey mirrors	AND MOTORIZED	YES	
Paint	Mfg. standard - Website	<a href="http://WWW.FLEET.FORD.COM">WWW.FLEET.FORD.COM</a>	YES	
Payload		STD	YES	
Power Take Off		88A	YES	
Seat Belts	3 point, required	STD	YES	
Seats	Driver: Air suspension, individual	STD	YES	
	bucket, vinyl, Bostrom or National, high back:	STD	YES	
	Passenger: Non-suspension individual bucket, vinyl	STD	YES	
Shocks	Heavy duty front	961	YES	
Shoulder Room	65.3" Minimum (Window to Window)	STD	YES	
Slack Adjusters	Automatic, front & rear	STD	YES	
Springs	Standard for model bid	STD	YES	
Suspension		STD	YES	
Tachometer	Rated to engine	STD	YES	
Tires-Front, Sized for Truck	2 each-steel belted radial tubeless, conventional tread	11R22.5G Goodyear Endurance	YES	
Tires-Rear, Sized for Truck	4 each-steel belted radial tubeless, mud & snow	11R22.5H Goodyear G182 RSD	YES	
Tow Hooks	Frame mounted, 2 each	STD	YES	
Transmission	Automatic, minimum 5 speed with temp gauge	STD	YES	
Warning Lights & Buzzers	For low oil pressure & high coolant temperature includes automatic shutdown system	STD	YES	
		STD	YES	
<b>Item No. 6</b>	<b>Type: 29,000 GVWR CAB &amp; CHASSIS (Continued)</b>	STD	YES	odel Year
		STD	YES	S SPEC
<b>FEATURE</b>	<b>DESCRIPTION</b>			es or No
Warranty	Provide Website	STD	YES	
Wheelbase		158	YES	
Wheels	8.25 x 22.5 disc wheels, 6 each	STD	YES	

Item No. 6 - TOTAL STANDARD VEHICLE, 29,000 GVWR

\$59,286

You must enter pricing in the online bid page

**See End of Group 1 for Aftermarket pricing through Olathe Ford**

**Alternative Fuel Options:**

Alternative Fuel Package: State Fuel Option and Base Price each Net			
Alternative Fuel Option: <b>Circle Applicable</b> - (CNG, LPG, P/H/EV, E85, B20)			
Alternative Fuel Operation: <b>Circle Applicable</b> - (State Dedicated, Bi-Fuel or Flex Fuel)			
Gas Gallon Equivalent (State how much fuel on board)			
GGE Gas Gallon Equivalent - Option 1 State Tank Size		<b>2 (18X60) 34</b>	<b>18,950</b>
GGE-Gas Gallon Equivalent - Option 2 State Tank Size		<b>2(21X60) 46</b>	<b>21,650</b>
State manufacturer and model of conversion system			
State Current or Pending EPA or CARB Certification No.			
If no cert no, please explain.			
OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no)			
Drop ship code (if applicable)			
Brakes	Bendix 4 channel ABS		\$
	Air Disc Brake Option		\$
Brush Guard	Front bumper		\$
Cab	Cab "B"	X6D	\$1,970
	Cab "C"	W6D	\$4,665
			\$
Cab Steps	Driver only, factory	STD	\$
	Both sides, factory	STD	\$
Cab to Axle	72" TO 168" CA	SEE ATTACHED AVAIL OPTIONS	125 - 965
Include all costs for any modifications			\$
			\$
			\$
			\$
			\$
			\$
Console			\$
Daytime Running Lights		962	45
<b>Diagnostic Software &amp; Cables</b>			
	Engine		\$
	Transmission		\$
	Anti-Lock Brake/Air		\$
	Anti-Lock Brake/Hydraulic		\$
	Chassis Electrical System		\$
	Cables		\$
Diesel Exhaust Fluid (DEF)	State size & location	8 GAL AFT DRIVER SIDE FRONT AXLE	STD
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		
	<b>GAS ENGINE</b>		-3000
	300 HP / 330 HP		1995 / 3495
			\$
			\$
	<b>INSTOCK PURCHASE</b>		\$4,950
Exhaust	Vertical with turn out elbow		\$
Extended Warranty	CALL FOR QUOTE 913-815-2224		\$
			\$
			\$
			\$
Floor Mats	Rubber/Vinyl	STD	\$
Fuel Tank	Dual step frame mounted, 50 gal.		\$
Horns	Dual air		\$
Hoses	Silicone cooling system hoses w/worm drive gear clamps		\$
Key Options	Cost for extra key		\$
			\$
Locking Differential	Driver control lock option		\$
	Limited slip option		\$
Manuals	Service manuals		250
Mirrors	Phillips Fender Guides		290
	Sweep mirror		\$
Moisture Ejectors	Pull chain type		\$
Outfitter Switches		STD ON DIESEL	\$
	Includes extra wiring harness		\$
Paint	Flat black on hood		\$
Paint	Provide Website		\$
Parking Brake Alarm			\$
Plow Lights (Snow)	Factory installed		\$

Item No. 6		Type: 29,000 GVWR CAB & CHASSIS (Continued)		Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		
		MFG'S CODE & DESCRIPTION	PRICE	
<u>OPTIONAL EQUIPMENT</u>				
Pre-Trip Light Inspection			\$	
Remote Power Module			\$	
Rust Proofing	State brand; include warranty & certificate		\$	
Seals	Oil lubricated front wheel seals		\$	
Seats	Air suspension driver, indiv bucket, vinyl, high back		\$	
	2-Man passenger		\$	
	Cloth Interior		\$	
	Passenger side bucket		125 - 980	
Service Hatches	Two, for use with tilt hood		\$	
Snow Plow Package		FRONT FRAME EXTENSION	490	
Snow Valve			\$	

Item No. 6		Type: 29,000 GVWR CAB & CHASSIS (Continued)		Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		
		MFG'S CODE & DESCRIPTION	PRICE	
<u>OPTIONAL EQUIPMENT</u>				
Springs	Front: 12,000 LB	61D	305	
	Rear: 23,000 LB capacity for use w/19,000 LB rear axle	N/A ON F650 AVAIL ON F750	\$	
Stationary Grill	For snowplow applications, with tilting hood	88B	125	
Steering Wheel	Tilt		\$	
	Cruise		\$	
Storage	Overhead storage area with safety net		\$	
Temporary Tag			\$	
Theft Deterrent System			\$	
Tires	255/70 R22.5, 14 ply		\$	
Tow Command			\$	
Tow Hooks	2 each		\$	
Trailer Tow Package			\$	
Transmissions			\$	
			\$	
			\$	
			\$	
Wiring	Body builder harness		\$	

**See End of Group 1 for Aftermarket pricing through Olathe Ford**  
**Options Not Listed - Discount from MSRP- State Other Website For Pricing** **5%**

**OPTION DELETE FROM STANDARD**

Air brake dryer		\$
Air brakes		\$
Air Conditioning		\$
Automatic moisture ejectors		\$
Dash mounted air restriction gauge		\$
Engine block heater		\$
Front mounted PTO		\$
Fuel water separator		\$
Standard engine-activated		\$
Radio, AM/FM		\$
Seats, passenger: non-suspension, individual bucket		\$
Spare Tire		\$
Spare Wheel		\$
Tow hooks		\$

Item No. 7		Type: 34,000 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No Yes	No
<b>Cab &amp; Chassis</b>	<b>Bidder must state make &amp; model</b>	FORD F750 REG CAB		
Air Brake Dryer	Wabco spin-on, heated, or equal	BENDIX		
Air Cleaner	With dash-mounted restriction gauge	STD	YES	
Alternator-State Minimum		STD	YES	
Axles-Front	14,000 LBS.	STD	YES	
Axles-Rear	23,000 LBS single speed	STD	YES	
Batteries	Maint. free, 1600 CCA min., dual	STD	YES	
Battery Terminals	External jump start	STD	YES	
Brakes-Backing Plate	Backing Plate	STD	YES	
Brakes-Front	Front: 16.5" X 5"	STD	YES	
Brakes-Parking	Parking: spring set	STD	YES	
Brakes-Rear	Rear: 16 1/2" X 7"	STD	YES	
Brakes-Service	Service: Air	STD	YES	
Cab	Cab "A"	STD	YES	
Cab Height (Inside)	54" Minimum	STD	YES	
Cab to Axle	96" for 12' dump body	STD	YES	
Compressor	13.2 CFM	STD	YES	
Differential	Gear ratio to be selected at time of order.	STD	YES	
Drainage	Automatic moisture ejectors	STD	YES	
Electrical Systems	12 volt, body builders connection box/plug	STD	YES	
Engine	Diesel turbo charged-state HP, torque, cylinders, size	STD	YES	
Engine Block Heater		STD	YES	
Exhaust	Vertical pipe with horizontal muffler	STD	YES	
Frame-RBM 2,000,000 min.		STD	YES	
Frame-PSI		STD	YES	
Frame-Section Modulus		STD	YES	
Extension	Bumper and frame extension 20"	STD	YES	
Fuel Tank	Step type, state size & location	STD	YES	
Fuel Water Sep.	Required with in-line heater	STD	YES	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp	STD	YES	
Governor	Adjustable max. cruising RPM	STD	YES	
Grab Handles-Outside	One (1) on each side of cab	STD	YES	
Grill	Fixed	STD	YES	
GVWR	34,000 LB, min.	STD	YES	
Hand Electronic Throttle	Required with cruise	STD	YES	
Hood & Fenders	Tilt hood and fender	STD	YES	
Horn	Single air	STD	YES	
Hourmeter	Standard engine-activated	STD	YES	
Lights	Cab clearance, five (5)	STD	YES	
Line Set	Two (2) copies required with each truck	STD	YES	
Mirrors	Outside: dual west coast, painted, Heated aluminum (outside)	STD	YES	
	16" X 7" retractable	STD	YES	
Oil filter	2 each, 1 quart min.	STD	YES	
Paint	Mfg. standard - provide Website	STD	YES	
Payload		STD	YES	
Power Take Off	Front crank shaft mounted	NO FRONT FRAME EXTENSION		NO
Radio	AM/FM, factory installed	STD	YES	
Seat	Driver: air suspension, individual bucket, vinyl, Bostrom or National high back, state:	STD	YES	
	Passenger: non-suspension, individual bucket, vinyl	STD	YES	
Seat Belts	3 point, required	STD	YES	
Shocks	Required front	STD	YES	
Shoulder Room	65.2" Min. (Window to Window)	STD	YES	
Slack Adjuster	Automatic front & rear	STD	YES	
Springs	Rated each at ground	STD	YES	
	Front: 14,000 LBS	STD	YES	
	Rear: 23,000 LBS main with 4,500 LB aux.	STD	YES	
Tachometer	Rated to engine	STD		
Tires	Tubeless, steel belted radial	STD	YES	
Tires: Front	Highway tread, 12R22.5, 16 ply	STD	YES	
Tires: Rear	All terrain, 12R22.5, 16 ply	STD		
Transmission	Automatic, minimum 5 speed with temp gauge	STD	YES	
Warning Lights & Buzzers	For low oil pressure & high coolant temperature includes automatic shutdown system	STD		
Warranty	Attach all manufacturer standard	STD		
Wheelbase-Specify		STD	YES	
Wheels	8.25 X 22.5 Hub pilot, 10 hole disc, white	STD		
	(For axle changes, include tires & wheels to achieve minimum rating.)	STD	\$	
		STD	\$	

Item No. 7 - TOTAL STANDARD 34,000 GVWR VEHICLE

\$64,751

You must enter pricing in the online bid page



**See End of Group 1 for Aftermarket pricing through Olathe Ford**

**Alternative Fuel Options:**

Alternative Fuel Package: State Fuel Option and Base Price each Net		
Alternative Fuel Option: <b>Circle Applicable</b> - (CNG, LPG, P/H/EV, E85, B20)		
Alternative Fuel Operation: <b>Circle Applicable</b> - (State Dedicated, Bi-Fuel or Flex Fuel)		
Gas Gallon Equivalent (State how much fuel on board)		
GGE Gas Gallon Equivalent - Option 1 State Tank Size	<b>2 (18X60) 34</b>	<b>18,950</b>
GGE-Gas Gallon Equivalent - Option 2 State Tank Size	<b>2(21X60) 46</b>	<b>21,650</b>
State manufacturer and model of conversion system		
State Current or Pending EPA or CARB Certification No.		
If no cert no, please explain.		
OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no)		
Drop ship code (if applicable)		

Back-Up Alarm			\$
Battery Box Location			\$
Brakes (Trailer)	With tractor protection valve		\$
Disc Air Brake Option			\$
			\$
Cab	Cab "B"	X7D	\$1,970
	Cab "C"	W7D	\$4,665
	Low Entry Cab		\$
			\$
Cab Steps	Driver only, factory		\$
	Both sides, factory		\$
Diesel Exhaust Fluid (DEF)	State size & location		\$
Cab To Axle			\$
			\$
			\$
			\$
			\$
Console			\$
Daytime Running Lights	962		45

**Diagnostic Software & Cables**

Engine			\$
Transmission			\$
Anti-Lock Brake/Air			\$
Anti-Lock Brake/Hydraulic			\$
Chassis Electrical System			\$
Cables			\$
Engine Cover	List other available		\$

**Item No. 7 Type: 34,000 GVWR CAB & CHASSIS (Continued) Current Model Year**

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE
	<b>OPTIONAL EQUIPMENT</b>		
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		\$
		GAS	-3000
			\$
	IN STOCK PURCHASE	SUBJECT TO AVAILABILITY	4900
			\$
Extended Warranty	Provide Website		\$
Floor Mats	Rubber/Vinyl		\$
Fuel Tank			\$
Hoses	Silicone cooling system hoses w/worm drive gear clamps		\$
Key Options	Cost for extra key		\$
Manuals	Service manuals		\$
Mirrors	Phillips Fender Guides		295
Moisture Ejectors	Pull chain type		\$
Outfitter Switches			\$
	Includes extra wiring harness		\$
Paint	Flat black on hood		\$
			\$
Parking Brake Alarm			\$
Pre-Trip Light Inspection			\$
Plow Lights (Snow)	Factory installed		\$
Remote Power Module			\$
Rust Proofing	State brand; include warranty & certificate		\$
Seals	Front oil lubricated wheel seals		\$
Seats	Air suspension driver, indiv. bucket, vinyl, high back		\$
	2-Man passenger		\$
	Cloth Interior		\$
	Passenger side bucket		\$
Service Hatches	Service hatches in hood		\$
Snow Plow Package			\$
Snow Valve			\$
Steering Wheel	Tilt		\$
	Cruise		\$
Storage	Overhead storage area with safety net		\$
Temporary Tag			\$
Theft Deterrent System			\$
Tires	11R22.5, 16 ply		\$

**Item No. 7 Type: 34,000 GVWR CAB & CHASSIS (Continued) Current Model Year**

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE
	Michelin -- Chip Resistant		\$

Tow Command			\$
Tow Hooks	2 each		\$
Trailer Tow Package			\$
Transmission			\$
			\$
			\$
Winter Fronts			\$
			\$
Wiring	Body builder harness		\$

**See End of Group 1 for Aftermarket pricing through Olathe Ford**

**Options Not Listed - Discount from MSRP- State Other Website For Pricing 5%**

Item No. 7      Type: 34,000 GVWR CAB & CHASSIS (Continued)      Current Model Year

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE	
		MFG'S CODE & DESCRIPTION	PRICE
	<u>OPTIONAL EQUIPMENT</u>		
	OPTION DELETE FROM STANDARD		
	Air Brake Dryer		\$
	Air horn		\$
	Automatic moisture ejectors		\$
	Bumper, 1/4" min., front		\$
	Compressor		\$
	Dash-mounted air restriction gauge		\$
	Engine shutdown		\$
	Front mounted PTO		\$
	Engine block heater		\$
	Muffler, horizontal		\$
	Radio, AM/FM		\$
	Spare Tire		\$
	Spare Wheel		\$

Item No. 8		Type: 56,000 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No Yes	No
<b>Cab &amp; Chassis</b>	<b>State make &amp; model</b>			
Air Brake Dryer	Wabco spin-on, heated, or equal			
Air Cleaner	Required, with dash-mounted restriction gauge			
Alternator				
Auxiliary Outlet	12 volt, Factory installed			
Axles-Front	16,000 LB			
Axles-Rear	40,000 LB			
Batteries	Maint. free, dual batteries, 1600 CCA min			
Brakes	Parking: spring brake, both rear axles Service: air, 13.2 cu.ft. air compressor Rear: drum, 16 1/2" X 7" min. Backing Plate			
Bumper	Front			
Cab	Cab "A"			
Cab Height (Inside)	54" Minimum			
Cab To Axle	120" min.			
Differential	Gear ratio to be selected at time of order.			
Drainage	Automatic moisture ejectors			
Electrical Systems	12 volt, body builders connection box/plug			
Engine	Diesel turbo charged-state HP, torque, cylinders, size			
Engine Block Heater	Minimum 1,000 watt			
Frame	RBM: 2,500,000 min. PSI: 120,000 Section Modulus			
Fuel Tank	Step type, state size & location			
Fuel Water Sep.	In-line heater			
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp			
Grab Handles-Outside	One (1) on each side			
GVWR	56,000 LB min.			
Hand Throttle	Required			
Hood & Fenders	Tilting			
Hourmeter	Standard engine-activated			
Lights	Cab clearance, minimum five (5)			
Line Set	Two (2) copies required with each truck			
Mirrors-Outside	Heated, left & right, painted, west coast type, 16" X 7" min.			
Oil Filter	2 quart capacity minimum			
Paint	Mfg. standard - provide Website			
Payload				
Power Take Off	Required opening right side			
Rims-Front	22.5 X 9.00 wide base (front)			
Rims-Rear	22.5 X 8.25 wide base (rear)			
Seals	Front wheel seals oil lubricated			
Seats-Driver	Air suspension, individual bucket, vinyl, high back			
Seats-Passenger	Single non-suspension, vinyl, 2-passenger			
Shocks	Heavy duty front			
Shoulder Room	65.2" minimum (window to window)			
Slack Adjusters	Automatic, front & rear			
Spare Tire	Same as tires			
Spare Wheel	Same as wheels			
Springs-Front	Min. 16,000 LB capacity-rated each at ground			
Springs-Rear	Min. 40,000 LB capacity-rated each at ground			
Steering	Power			
Sun Visors	Dual			
Suspension				
Tachometer	Required			
Tires-Front	(2) conventional tread, steel belted radial			
Tires-Rear	(8) all terrain tread, steel belted radial			
Tow Hooks	Installed front to frame rails			
Transmission	Automatic, min 5 speed with temp gauge			

Item No. 8		Type: 56,000 GVWR CAB & CHASSIS (continued)	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No	No
Warning Lights & Buzzers	For low oil pressure & high coolant temperature includes automatic shutdown system			
Warranty	Provide Website			
Wheelbase				
Wheels	8.25 x 22.5 Hub pilot, 10 hole disc, white			

**Item No. 8 - TOTAL STANDARD VEHICLE 56,000 GVWR**

**\$**

You must enter pricing in the online bid page



Item No. 8	Type: 56,000 GVWR CAB & CHASSIS (continued)	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE
	<u>OPTIONAL EQUIPMENT</u>		
Parking Brake Alarm			\$
Pre-Trip Light Inspection			\$
Plow Light (Snow) Wiring	Factory installed		\$
Radiator Grill	Stationary		\$
Remote Power Module			\$
Rust Proofing	State brand; include warranty & certificate		\$
Seats	Air suspension driver, indiv bucket, vinyl, high back		\$
	2-Man passenger		\$
	Cloth Interior		\$
	Passenger side bucket		\$
			\$
Service Hatch	Two (2) for use with tilt hood		\$
Snow Plow Package			\$
Snow Valve			\$
Steering Wheel	Tilt		\$
	Cruise		\$
Storage	Overhead storage area with safety net		\$
Tag Axle	Air up, air down capacity		\$
	Include tires & wheels; state sizes:		\$
			\$
Temporary Tag			\$
Theft Deterrent System			\$
Tow Command			\$
Tow Hooks	2 each		\$
Trailer Tow Package			\$
Transmission Alternates			\$
			\$
			\$
Wiring	Body builder harness		\$
<b>Options Not Listed - Discount from MSRP- State Other Website For Pricing</b>			<b>%</b>

Item No. 9		Type: 66,000 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No	Yes No
<b>Cab &amp; Chassis</b>	<b>Cab &amp; chassis conventional 6x4</b>			
Air brake dryer	Wabco spin-on, heated, or equal-State:	_____	_____	_____
Air Cleaner	Required with dash mounted restriction gauge	_____	_____	_____
Air conditioning	Factory installed	_____	_____	_____
Alternator	_____	_____	_____	_____
Arm rests	Right & left sides	_____	_____	_____
Auxiliary Outlet	12 volt, Factory installed	_____	_____	_____
Axles-Front	Min: 20,000 LB	_____	_____	_____
Axles-Rear	Min: 46,000 LB	_____	_____	_____
Batteries	Maintenance free, three batteries, 1950 CCA min.	_____	_____	_____
Brakes	Parking: Spring brake, both rear axles	_____	_____	_____
	Service: Air. 13.2 CFM air compressor	_____	_____	_____
	Rear: Drum, 16 1/2" x 7" min.	_____	_____	_____
	Backing Plate	_____	_____	_____
Bumper	Front	_____	_____	_____
Cab	Cab "A"	_____	_____	_____
Cab Height (Inside)	54" Minimum	_____	_____	_____
Cab to axle	120"	_____	_____	_____
Cooling system	Heavy duty, increase cooling	_____	_____	_____
Differential	Gear ratio to be selected at time of order.	_____	_____	_____
Drainage	Automatic, moisture ejector	_____	_____	_____
Electrical Systems	12 volt, body builders connection box/plug	_____	_____	_____
Engine	Diesel electronic controlled-state HP, torque, cylinders, size	_____	_____	_____
Engine Block Heater	Min 1,500 watt	_____	_____	_____
Floor covering	Heavy duty, vinyl/rubber	_____	_____	_____
Frame	RBM: 3,000,000 min. State:	_____	_____	_____
Frame	PSI: State:	_____	_____	_____
Frame	Full "C" reinforced high tensile steel	_____	_____	_____
Fuel Tank	Step type, state size & location	_____	_____	_____
Fuel Water Sep	In-line heater	_____	_____	_____
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp	_____	_____	_____
Glass	Tinted, all windows	_____	_____	_____
Grab Handles-Outside	One (1) each side	_____	_____	_____
GVWR	66,000	_____	_____	_____
Hand throttle	Electronic	_____	_____	_____
Hood & Fenders	Tilting	_____	_____	_____
Hourmeter	Standard engine-activated	_____	_____	_____
Lights	Cab clearance five (5) min.	_____	_____	_____
Line set	Two (2) copies required with each truck	_____	_____	_____
Mirrors-Outside	Heated, left & right, painted, west coast type, 16" X 7" min.	_____	_____	_____
Oil Filter	Two (2) quart capacity min.	_____	_____	_____
Paint	Manufacturer standard. Provide color chart	_____	_____	_____
Payload	_____	_____	_____	_____
Power take off	Required opening right side	_____	_____	_____
Radio	AM/FM, factory installed	_____	_____	_____
Transmission	Automatic, minimum 5 speed with temp gauge	_____	_____	_____
<b>Item No. 9</b>	<b>Type: 66,000 GVWR CAB &amp; CHASSIS (continued)</b>		<b>Current Model Year</b>	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No	Yes No
Rims-Front	22.5 x 13.00 Wide Base	_____	_____	_____
Rims-Rear	22.5 x 8.25 Wide Base	_____	_____	_____
Seals	Front wheel seals oil lubricated	_____	_____	_____
Seats-Driver	Air suspension, individual bucket, vinyl, high back	_____	_____	_____
Seats-Passenger	Single non-suspension, vinyl, 2-passenger	_____	_____	_____
Shoulder Room	67.5" Minimum (Window to Window)	_____	_____	_____
Spare Tire	Same as Tires	_____	_____	_____
Spare Wheel	Same as Wheels	_____	_____	_____
Springs-Front	Min 20,000 LB capacity-rated at ground	_____	_____	_____
Springs-Rear	Min 46,000 LB capacity-rated at ground	_____	_____	_____
Steering	Power	_____	_____	_____
Sun visors	Dual	_____	_____	_____
Suspension	_____	_____	_____	_____
Tachometer	Required	_____	_____	_____
Tires-Front	Two (2) steel belted radial-state size	_____	_____	_____
Tires-Rear	Eight (8) mud & snow tread-state size	_____	_____	_____
Tow Hooks	Installed front to frame rails	_____	_____	_____
Warning Lights & Buzzers	Low oil pressure, high water temp., low air pressure, low coolant level with automatic shutdown system	_____	_____	_____
Warranty	Attach all manufacturer standard	_____	_____	_____
Wheelbase	_____	_____	_____	_____
Wheels	8.25 x 22.5 Hub pilot, 10 hole disc, white	_____	_____	_____
Wipers	Intermittent	_____	_____	_____
<b>Item No. 9 - TOTAL STANDARD VEHICLE, 66,000 GVWR</b>			<b>\$</b> _____	

You must enter pricing in the online bid page

Item No. 9	Type: 66,000 GVWR CAB & CHASSIS (continued)	BIDDER MUST COMPLETE	Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE
<b>Alternative Fuel Options:</b>			
Alternative Fuel Package: State Fuel Option and Base Price each Net			
Alternative Fuel Option: <b>Circle Applicable</b> - (CNG, LPG, P/H/EV, E85, B20)			
Alternative Fuel Operation: <b>Circle Applicable</b> - (State Dedicated, Bi-Fuel or Flex Fuel)			
Gas Gallon Equivalent (State how much fuel on board)			
GGE Gas Gallon Equivalent - Option 1 State Tank Size			\$
GGE-Gas Gallon Equivalent - Option 2 State Tank Size			\$
State manufacturer and model of conversion system			
State Current or Pending EPA or CARB Certification No.			
If no cert no, please explain.			
OEM Supported (offeror has OVM or SVM status or equivalent: state yes or no)			
Drop ship code (if applicable)			
Axles-Front	Min 16,000 LB in lieu of 20,000 LB		\$
Axles-Rear	Min 40,000 LB in lieu of 46,000 LB		\$
Include price for tires, suspension, wheels, change over, etc			
Axle-Pusher	Up to 83,000 GVWR; non-steerable		\$
Include price for tires, suspension, wheels, change over, etc			
Back-Up Alarm			\$
Battery Box Location			\$
Brakes	Disc Air Brake Option		\$
Bumper	Front, 1/4 min.		\$
Cab	Cab "B"		\$
	Cab "C"		\$
	Low Entry Cab		\$
Cab Steps	Driver only, factory		\$
	Both sides, factory		\$
Cab to Axle			\$
			\$
			\$
			\$
			\$
			\$
			\$
			\$
Circuit Breakers	In lieu of standard fuses		\$
Console			\$
Daytime Running Lights			\$
<b>Diagnostic Software &amp; Cables</b>			
Engine			\$
			\$
Transmission			\$
			\$
Anti-Lock Brake/Air			\$
			\$
Anti-Lock Brake/Hydraulic			\$
			\$
Chassis Electrical System			\$
			\$
Cables			\$
			\$
			\$
			\$
Diesel Exhaust Fluid (DEF)	State size & location		\$
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		\$
Prices must include cost			\$
for tires, suspension,			\$
changeover, etc.			\$
			\$
			\$
Exhaust	Vertical with guard		\$
Extended Warranty			\$
			\$
			\$
			\$
Floor Mat	Rubber/vinyl		\$
Frame	Double channel, min. 25 S.M.		\$
Fuel Tanks			\$
			\$
Hose	Silicone radiator and heater w/worm drive gear clamps		\$
Key Options	Cost for extra key		\$
			\$
Manuals	Service manuals		\$
Mirrors	Phillips Fender Guides		\$
	Sweep mirror		\$
Outfitter Switches			\$
	Includes extra wiring harness		\$

Item No. 9 FEATURE	Type: 66,000 GVWR CAB & CHASSIS (continued) DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	Current Model Year PRICE
	<u>OPTIONAL EQUIPMENT</u>		
Paint	Flat black on hood		\$
Parking Brake Alarm			\$
Plow Light (Snow) Wiring	Factory installed		\$
Power Take Off	Installed in front of radiator; PTO adapter plate on engine shaft to include 18" frame extension w/swept back and front bumper		\$
Pre-Trip Light Inspection			\$
Radiator Grill	Stationary		\$
Remote Power Module			\$
Rust Proofing	State brand; include warranty & certificate		\$
Seats	Air suspension driver, indiv bucket, vinyl, high back		\$
	2-Man passenger		\$
	Cloth Interior		\$
	Passenger side bucket		\$
			\$
Service Hatch	Two (2) for use with tilt hood		\$
Shocks	Heavy duty, front		\$
Snow Valve			\$
Snow Plow Package			\$
Steering Wheel	Tilt		\$
	Cruise		\$
Storage	Overhead storage area with safety net		\$
Temporary Tag			\$
Theft Deterrent System			\$
Tow Command			\$
Tow Hooks	2 each		\$
Trailer Tow Package			\$
Transmission	Manual 10 Speed w/Double-Low		\$
			\$
			\$
Wiring	Body builder harness		\$

**Options Not Listed - Discount from MSRP- State Other Website For Pricing %**

**OPTION DELETE FROM STANDARD**

Air brake dryer	\$
Air Conditioning	\$
Automatic moisture ejectors	\$
Dash-mounted air restriction gauge	\$
Engine block heater	\$
Fuel water separator	\$
Glass, tinted all windows	\$
Hourmeter --Standard engine-activated	\$
Radio, AM/FM	\$
Seats: Driver: air suspension, individual bucket, vinyl	\$
Passenger: non suspension, individual bucket, vinyl	\$
Spare Tire	\$
Spare Wheel	\$

**Group 1 Aftermarket pricing through Olathe Ford**

**Hippo Pricing  
Power Pack \$25,576.47**

Allows you to run an air compressor as well as a generator simultaneously  
 Kubota D902 24.8HP Diesel  
 Electric- 5.2 kva @ 120vac  
 Welding- 240amp DC  
 Pneumatic- 45 cfm @ 100psi  
 38"L x 25.5"W x 35"H

**Power Pack Plus \$29,008.82**

Adds 10gpm of hydraulic tool. Able to run two tools simultaneously  
 Kubota D902 24.8HP Diesel  
 Electric- 5.2kva @ 120vac  
 Welding- 240amp DC  
 Pneumatic- 45cfm @ 100psi  
 Hydraulic- 10gpm @ 2000psi  
 38"L x 30"W x 48"H

**Hurricane- \$37,275.00**

Added 100cfm of air, able to run two tools simultaneously  
 Kubota 1505 Turbo 44HP Diesel  
 Electric- 6kva 120/240 vac or 8.5 kva 3 phase 240 vac  
 Welding- 250amp DC  
 Pneumatic- 50/100 cfm @ 100 psi 100 cfm in isolation  
 Hydraulic- 2- 10gpm @ 2000psi  
 Jump Start- 12/24/36/48 Volt  
 49"H x 25.5"W x 44.5"L



**F-350 Super duty 60" CA / SRW**

9' Service body / painted single stage one color	\$7,700
9' Enclosed utility body / bed height of 62" w/ single stage paint job	\$12,300
9' Enclosed utility body / bed height of 68" w/ single stage paint job	\$12,600
9' Enclosed utility body / bed height of 78" w/ single stage paint job	\$12,900

**F-350 – F-550 with 60" CA DRW**

9' Service body / painted single stage one color	\$8,600
9' Service body / painted single stage one color	\$9,500
9' Gooseneck flatbed	\$3,490
9' Solid side dump body with electric/hydraulic subframe hoist assembly Painted single stage black. 15,000 lb pull plate hitch included	\$11,200
9' Drop side dump body with electric/hydraulic subframe hoist assembly Painted single stage black. 15,000 lb pull plate hitch included	\$11,960
9' Enclosed utility body / bed height of 68" w/ single stage paint job	\$13,600
9' Enclosed utility body / bed height of 78" w/ single stage paint job	\$13,900
9' Enclosed utility body / bed height of 90" w/ single stage paint job	\$14,200

**F-350 – F-550 with 84" CA DRW**

11' Service body / painted single stage one color	\$10,770
11' Service body / painted single stage one color	\$12,100
11' Gooseneck flatbed	\$3,950
11' Solid side dump body with electric/hydraulic subframe hoist assembly Painted single stage black. 15,000 lb pull plate hitch included	\$10,650
11' Drop side dump body with electric/hydraulic subframe hoist assembly Painted single stage black. 15,000 lb pull plate hitch included	\$12,120

**F-350 – F-550 with 84" CA DRW cont'd**

11' Enclosed utility body / bed height of 68" w/ single stage paint job	\$14,980
11' Enclosed utility body / bed height of 78" w/ single stage paint job	\$15,420
11' Enclosed utility body / bed height of 90" w/ single stage paint job	\$15,830

**Snowplow pricing installed:**

\*plow application will vary depending on the vehicle and the front payload capacity\*

7.5' plow with Ultramount mount	\$5,800
8' plow with Ultramount mount	\$5,895
8.5' plow with Ultramount mount	\$5,971
8' plow with Ultramount mount	\$6,124
8.5' plow with Ultramount mount	\$6,256
9' plow with Ultramount mount	\$6,333
8 to 10' adjustable Wide-out plow with Ultramount mount	\$7,655
8.5' plow with Ultramount mount	\$6,665
9.5' plow with Ultramount mount	\$6,945
8.5' plow w/ flared wings and Ultramount mount	\$6,655
9.5' plow w/ flared wings and Ultramount mount	\$6,942
8.5' plow w/ flared wings and stainless moldboard	\$7,288
9.5' plow w/ flared wings and stainless moldboard	\$7,587
Prodigy series plow with Ultramount mount	\$7,165

\*Includes deflector

**End of Group I**

**End of Group I**